### 1/3 FIG. 1

## GENERAL PURPOSE CLOTTING SALVE WITH POWDERED CUMIN

Powdered Cumin ten-to-twenty-five percent by volume Host Substance fifty-to-seventy-five percent by volume Antiseptic five-to-twenty-five percent by volume Odorant five-to-ten pecent by volume



#### FIG. 2

## GENERAL PURPOSE CLOTTING SALVEWITH CUMIN OIL

Cumin Oil five-to-twenty percent by volume
Host Substance fifty-to-seventy percent by volume
Antiseptic five-to-twenty-five percent by volume
Odorant five-to-ten pecent by volume



#### FIG. 3

### HIGH CLOTTING SALVE WITH POWDERED CUMIN

Powdered Cumin twenty-to-forty percent by volume Host Substance forty-to-sixty percent by volume Antiseptic zero-to-ten percent by volume Odorant five-to-ten pecent by volume



#### FIG. 4

## HIGH CLOTTING SALVE WITH CUMIN OIL

Cumin Oil ten-to-twenty-five percent Host Substance forty-to-sixty percent Antiseptic zero-to-ten percent Odorant five-to-ten pecent by volume 2/3 FIG. 5

## INFECTION SPECIFIC CLOTTING SALVE WITH POWDERED CUMIN

Powdered Cumin ten-to-twenty-five percent by volume Host Substance twenty-to-forty percent by volume Antiseptic ten-to-fifty percent by volume Odorant five-to-ten percent by volume



# INFECTION SPECIFIC CLOTTING SALVE WITH CUMIN OIL

Cumin Oil five-to-twenty-five percent by volume
Host Substance twenty-to-forty percent by volume
Antiseptic ten-to-fifty percent by volume
Odorant five-to-ten percent by volume



